

THE UNITED SHATES OF AVIERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Soybean Research Foundation, Inc.

Wilhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE IN THE APPLICANTIS, INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT TRIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC OF THE VARIETY IN A PUBLIC REPOSITORY AS-PROVIDED BY LAW, THE RIGHT TO EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 12, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Gutwein 225'

In Lestimony Wincrcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 31st day of May in

this 31st day of May in the year of our Lord one thousand nine hundred and eighty-four.

Street

Serveth A. War

Plant Varisty Protection Offics Livestock, Meat, Grain & Seed Divid

Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION FORM APPROVED: OMB NO.0581-0055 No certificate for plant variety protection may be issued unless a completed appli-APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE cation form has been received (5 U.S.C. (Instructions on reverse) 553) 1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION 3. VARIETY NAME Soybean Research Foundation, Inc. Gutwein 225 4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) FOR OFFICIAL USE ONLY 5. PHONE (Include area code) PVPO NUMBER 115 North Perry Street 217 482-3219 8300093 Mason City, IL 62664 6. GENUS AND SPECIES NAME 7. FAMILY NAME (Botanical) DATE 3/23/83 Glycine max (L.) Merr. Leguminosae TIME 9:30 X A.M. AMOUNT FOR FILING 8, KIND NAME 9. DATE OF DETERMINATION 1,000 RECEIVED Soybeans October, 1980 DATE 3/23/83 10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, AMOUNT FOR CERTIFICATE partnership, association, etc.) 500.00 Corporation DATE 5/8/84 11. IF INCORPORATED, GIVE STATE OF INCORPORATION 12. DATE OF INCORPORATION APRIL 28, 1965 Illinois 13. NAME AND ADDRESS OF APPLICANT REPRESENATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Arnold L. Matson, Director of Soybean Breeding Soybean Research Foundation, Inc. 115 North Perry Street Mason City, IL 62664 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED Exhibit A, Origin and Breeding History of the Variety (See Exhibit C, Objective Description of the Variety (Request form a. Section 52 of the Plant Variety Protection Act.) from Plant Variety Protection Office.) Exhibit B, Novelty Statement Exhibit D, Additional Description of the Variety 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) Yes (If "Yes," answer items 16 and 17 below) 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? 17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? lх Foundation Registered Certified 18. DID THE APPLICANT(S) FILE FOR PROTECTION OF THE VARIETY IN THE U.S. OR OTHER COUNTRIES? Yes (If "Yes," give names of countries and dates) X 19. HAVE RIGHTS BEEN GRANTED IN THE U.S. OR OTHER COUNTRIES? Yes (If "Yes," give names of countries and dates) 20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties. SIGNATURE OF APPLICANT March 1, 1983 SIGNATURE OF APPLICANT DATE

FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)

Gutwein 225

Exhibit A -

Gutwein 225 originates from bulking the F_6 seed from the progeny of a single F_4 plant from the cross SRF 150 x SRF 200. The family from which this plant was selected had been previously screened for resistance to Phytophthora rot against race 2 and was found to be homozygous resistant. The variety was in yield trials from 1975 to 1979 under the experimental number 74-5897. In 1979 several hundred plants from 74-5897 were selected, single plant threshed and in 1980 grown in plant rows. Each row was inspected during the growing season and at harvest and those rows which did not appear to be uniformily true to type or which contained mixtures were destroyed. from all remaining rows were bulked to form breeders seed of Gutwein 225. Gutwein 225 is stable and no variants are a part of the variety description. All breeding and selection was Carried out at the Soybean Research Foundation under the supervision of Dr. Arnold L. Matson. I have inspected the variety at all stages of development and I find no evidence of instability in the variety.

Exhibit B - SEE REVISED EXHIBIT B. Pys 7/12/83

Gutwein 225 is most similar to its parent SRF 200 except that it has dull seed soat instead of shiny, is about 3 days later in maturity, stands better, and has slightly smaller seed (14.8 grams/100 seed compared to 15.7 for SRF 200).

Gutwein 225

Revised Exhibit B -

Gutwein 225 is most similar to its parent SRF 200 but differs in that it has dull seed coat instead of shiny and its seeds are smaller (13.4 grams per 100 seed compared to 15.7 for SRF 200). SRF 200 has tan pods; Gutwein 225 has brown pods.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

30 1 BLF	in julyelle max Ly	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	ARIETY NAME
Soybean Research Foundation, Inc.		Gutwein 225
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	9	FOR OFFICIAL USE ONLY
115 North Down Church	i i	PVPO NUMBER
115 North Perry Street Mason City, IL 62664		8300093
Choose the appropriate response which characterizes the vari in your answer is fewer than the number of boxes provided,		
1. SEED SHAPE:		
Θ Ψ		
	T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)		/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		•
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (S	pecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		·
1 5 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
2 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
157	•	
1 = Yellow 2 = Green		·
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
	bronze band below cotyledons (*W	foodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	Coker Hampton 266A')	
IO. LEAFLET SHAPE:		
1 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

11. LEAFL	ET SIZE:		•	
1	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')			
12. LEAF	COLOR:			
<u>S</u>	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Brax 3 = Dark Green ('Gnome'; 'Tracy')	ton')		
13. FLOW	ER COLOR:			
2	1 = White 2 = Purple 3 = White with purple throat			
14. POD C	DLOR:			
5	1 = Tan 2 = Brown 3 = Black			·
15. PLANT	PUBESCENCE COLOR:			
1	1 = Gray 2 = Brown (Tawny)			·
16. PLANT	TYPES:			
1	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')			
17. PLANT	HABIT:		,	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')		·	
18. MATUR	RITY GROUP:			
0 5	1 = 000	7 = IV	8 = V	
19. DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)		·	
**	ERIAL DISEASES:			
7-5				
	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)			
0	Bacterial Blight (Pseudomonas glycinea)			
0	Wildfire (Pseudomonas tabaci)	,		٠
•	AL DISEASES:			•
0	Brown Spot (Septoria glycines)		The state of the s	
	Frogeye Leaf Spot (Cercospora sojina)		# W . H	
0	Race 1	O Othe	er (Specify)	
0	Target Spot (Corynespora cassiicola)			
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	· · · · · · · · · · · · · · · · · · ·	·	
0	Powdery Mildew (Microsphaera diffusa)			
0	Brown Stem Rot (Cephalosporium gregatum)		•	ŗ.
	Stem Canker (Dianorthe phoseolorum var. coulivoral			

19. DISEASE REACTI	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	= Resistant) (Continued)	and the second of the second o	e de la compa
FUNGAL DISEA	SES: (Continued)			
O Pod and St	em Blight (Diaporthe phaseolorum var; sojae)			
O Purple See	d Stain <i>(Cercospora kikuchii)</i>			
O Rhizoctoni	a Root Rot (Rhizoctonia solani)			
Phytophthe	ora Rot (Phytophthora megasperma var. sojae)		•	
Race 1	2 Race 2 0 Race 3 0	Race 4 Race 5	Race 6 Race 7	
O Race 8	0 Race 9 0 Other (Specify)			
VIRAL DISEASE	S:		•	
O Bud Blight	(Tobacco Ringspot Virus)			
O Yellow Mos	aic (Bean Yellow Mosaic Virus)			
O Cowpea Mo	saic (Cowpea Chlorotic Virus)			
O Pod Mottle	(Bean Pod Mottle Virus)		•	
O Seed Mottle	(Soybean Mosaic Virus)			
NEMATODE DISE	ASES:			
Soybean Cy	st Nematode (Heterodera glycines)			
O Race 1	0 Race 2 0 Race 3 0	Race 4 O Other (Spe	cify)	
O Lance Nema	tode (Hoplolaimus Colombus)			
O Southern Ro	oot Knot Nematode (Meloidogyne incognita)			
O Northern Ro	ot Knot Nematode (Meloidogyne Hapla)			
O Peanut Root	Knot Nematode (Meloidogyne arenaria)			
O Reniform Ne	matode (<i>Rotylenchulus reniformis</i>)	• *		
O OTHER DIS	EASE NOT ON FORM (Specify):			
0. 2010/010100101				
· _ [SPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)		
TON CHIORS	s on Calcareous Soil			
	y)		 	
	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)		
Mexican Bean	Beetle (Epilachna varivestis)			
Potato Leaf H	lopper (Empoasca fabae)			
O Other (Specify	//		Militaria de Caración de Carac	
. INDICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES THA	SUBMITTED.		·····
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY	
Plant Shape	SRF 200	Seed Coat Luster	SRF 150	
Leaf Shape	SRF 200	Seed Size	SRF 200	
Leaf Color	SRF 200	Seed Shape	SRF 200	
Leaf Size	SRF 200	Seedling Pigmentation	SRF 200	

FORM LMGS-470-57 (2-82)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE	E HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	124	1.8	116,84	4.5	11.0	41.9	20.5	15	
SRF 200 Name of Similar Variety	121	2.7	111.76	4.8	11.3	40.6	20.8	16	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.